

Utah Department of Environmental Quality

Division of Drinking Water

Monitoring Schedule

Run Date:
08/04/2011 11:44 am

PWS ID: UTAH04001 **Name:** ASPEN VIEW-SCOFIELD MOUNTAIN HOMES

Legal Contact: ASPEN VIEW-SCOFIELD MT HM **Rating:** Approved
SCOTT MCBRIDE **Rating Date:** 10/26/2010

Address: 339 SOUTH 1400 EAST **Activity Status:** Active
SPANISH FORK, UT 84660

Phone Number: 435-798-6661

City Served (Area):

County: CARBON COUNTY

System Type: Non-community **Last Inv Update:** 07/13/2009 **Avg Daily Prod:**

Activity Status Cd: Active **Last Snty Srv Dt:** 06/25/2008 **Total Dsgn Cap:**

Population: 100 **Surveyor:** SEAN R JORDAN **Total Emerg Cap:**

Oper Period: 1/1 to 12/31

Gal/Day Gal/Min

Total Coliform Rule Monitoring

Sample Count	Sample Type	Sample Frequency	Effective Begin Date	Effective End Date	Seasonal Start	Seasonal End	Analyte Name
1	Routine	Quarterly	01/01/2010		1/1	12/31	COLIFORM (TCR)

Additional Monitoring Requirements

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility ☐ ID Facility Name

Analyte Name	Sample Count	Sample Type	Sample Frequency	Last Sample	Next Sample Between
WS003 FRANDSEN WELL		Activity Status: A	Sample Label: UTAH04001	WS003	
NITRATE	1	Routine	Year	10/25/2010	01/01/2011-12/31/2011
SULFATE	1	Routine	3Y	06/08/2006	01/01/2008-12/31/2010